

Reusable pallets made from **recycled plastic**

PRODUCT PORTFOLIO

qpall.com

 **QPALL**[®]
PLASTIC PALLETS

Act global produce local





Pallets with a purpose

♥ From the very beginning, our mission has been clear and simple: offer cost-effective and reliable plastic pallets while prioritizing sustainability. By dedicating our focus and expertise to the development and production of only plastic pallets, we consistently deliver innovative solutions that adapt to the ever-evolving needs of our customers.

Today, our pallets are manufactured from nearly 100% recycled plastic, ensuring they are environmentally friendly without sacrificing strength or durability. This sustainable approach allows us to reduce the worldwide waste and make a positive impact on the environment while offering our customers high-quality, dependable pallets.

Currently, we operate from 5 production locations across Europe. This not only helps us reduce transportation costs for our customers but also significantly lowers CO2 emissions and reflects our deep commitment to environmental responsibility.

We proudly call this effort “Pallets with a Purpose.” Through our dedication to sustainability and operational efficiency, we continue to produce pallets that make a meaningful difference.

QP6040MB4F

MEDIUM

**Specifications**

Article number	QP6040MB4F
Dimensions (mm)	600 x 400 x 155
Weight (kg)	2.1
Topdeck	Open
Bottom support	4 feet

Load capacity (kg)

Static load	500
Dynamic load	250
Racking load	0

QP6040HP4F

HEAVY

**Specifications**

Article number	QP6040HP4F
Dimensions (mm)	600 x 400 x 155
Weight (kg)	2.1
Topdeck	Open
Bottom support	4 feet

Load capacity (kg)

Static load	750
Dynamic load	500
Racking load	0

QP6080LR3RR

LIGHT

**Specifications**

Article number	QP6080LR3RR
Dimensions (mm)	600 x 800 x 145
Weight (kg)	2.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	500
Dynamic load	350
Racking load	0

QP6080M6FR

MEDIUM

**Specifications**

Article number	QP6080M6FR
Dimensions (mm)	600 x 800 x 143
Weight (kg)	3.1
Topdeck	Open
Bottom support	6 feet

Load capacity (kg)

Static load	1000
Dynamic load	500
Racking load	0

QP6080HB6FR

HEAVY

**Specifications**

Article number	QP6080HB6FR
Dimensions (mm)	600 x 800 x 155
Weight (kg)	5.9
Topdeck	Open
Bottom support	6 feet

Load capacity (kg)

Static load	1000
Dynamic load	600
Racking load	0

QP76114LB9FR

LIGHT

**Specifications**

Article number	QP76114LB9FR
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	4.6
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

QP76114LB9FR-CD

LIGHT

**Specifications**

Article number	QP76114LB9FR-CD
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	5.7
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

QP76114LB9RR

LIGHT

**Specifications**

Article number	QP76114LB9RR
Dimensions (mm)	760 x 1140 x 158
Weight (kg)	6.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

QP76114LB9RR-CD

LIGHT



Specifications

Article number QP76114LB9RR-CD
 Dimensions (mm) 760 x 1140 x 158
 Weight (kg) 7.5
 Topdeck Closed
 Bottom support 3 runners

Load capacity (kg)

Static load 2500
 Dynamic load 1000
 Racking load 0

760 x 1140 mm

QP1111LB9FR

LIGHT



Specifications

Article number QP1111LB9FR
 Dimensions (mm) 1100 x 1100 x 150
 Weight (kg) 7.4
 Topdeck Open
 Bottom support 9 feet

Load capacity (kg)

Static load 2500
 Dynamic load 1000
 Racking load 0

QP1111LB3RR

LIGHT



Specifications

Article number QP1111LB3RR
 Dimensions (mm) 1100 x 1100 x 158
 Weight (kg) 9.2
 Topdeck Open
 Bottom support 3 runners

Load capacity (kg)

Static load 2500
 Dynamic load 1000
 Racking load 0

QP1111MB3R-AS

MEDIUM



Specifications

Article number QP1111MB3R-AS
 Dimensions (mm) 1100 x 1100 x 150
 Weight (kg) 11.7
 Topdeck Open
 Bottom support 3 runners

Load capacity (kg)

Static load 7500
 Dynamic load 1250
 Racking load 250

1100 x 1100 mm

QP1111MB6R-AS

MEDIUM



Specifications


Article number QP1111MB6R-AS
 Dimensions (mm) 1100 x 1100 x 150
 Weight (kg) 12.6
 Topdeck Open
 Bottom support 6 runners

Load capacity (kg)

Static load 7500
 Dynamic load 1250
 Racking load 250

QP1111HB3RR

HEAVY



Specifications


Article number QP1111HB3RR
 Dimensions (mm) 1100 x 1100 x 165
 Weight (kg) 20.1
 Topdeck Open
 Bottom support 3 runners

Load capacity (kg)

Static load 7500
 Dynamic load 2000
 Racking load 1000

QP1111HB3RR-CD

HEAVY



Specifications

Article number QP1111HB3RR-CD
 Dimensions (mm) 1100 x 1100 x 165
 Weight (kg) 22.0
 Topdeck Closed
 Bottom support 3 runners

Load capacity (kg)

Static load 7500
 Dynamic load 2000
 Racking load 1000


1100 x 1100 mm



PE-HD

QP1111HB6RR

HEAVY

**Specifications**

Article number	QP1111HB6RR
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	22.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1111HB6RR-CD

HEAVY

**Specifications**

Article number	QP1111HB6RR-CD
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	24.2
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140LB9FR

LIGHT

**Specifications**

Article number	QP1140LB9FR
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	7.5
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

QP1140LB3RR

LIGHT

**Specifications**

Article number	QP1140LB3RR
Dimensions (mm)	1140 x 1140 x 158
Weight (kg)	9.33
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

QP1140MB3RR

MEDIUM

**Specifications**

Article number	QP1140MB3RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	14.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

QP1140MB3R-PAS

MEDIUM

**Specifications**

Article number	QP1140MB3R-PAS
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	13.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1140MB6RR

MEDIUM

**Specifications**

Article number	QP1140MB6RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	16.7
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

QP1140MB6R-PAS

MEDIUM

**Specifications**


Article number	QP1140MB6R-PAS
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1140HB3RR

HEAVY



Specifications


Article number	QP1140HB3RR
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	21.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140HB3RR-CD

HEAVY



Specifications


Article number	QP1140HB3RR-CD
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	23.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140HB6RR

HEAVY



Specifications


Article number	QP1140HB6RR
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	24.6
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140HB6RR-CD

HEAVY



Specifications

Article number	QP1140HB6RR-CD
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	25.9
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

1140 x 1140 mm

1140 x 1140 mm



PE-HD

3.QP1208LB9FR

LIGHT

**Specifications**

Article number	3.QP1208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.4
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

3.QP1208LB9FR-CD

LIGHT

**Specifications**

Article number	3.QP1208LB9FR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	6.6
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

3.QP1208LB3RR

LIGHT

**Specifications**

Article number	3.QP1208LB3RR
Dimensions (mm)	1200 x 800 x 158
Weight (kg)	7.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

3.QP1208LB3RR-CD

LIGHT

**Specifications**


Article number	3.QP1208LB3RR-CD
Dimensions (mm)	1200 x 800 x 158
Weight (kg)	8.4
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	0

3.QP1208MB3RR

MEDIUM

**Specifications**

Article number	3.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	11.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	450

3.QP1208MB3RR-CD

MEDIUM

**Specifications**

Article number	3.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	13.6
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	750

2.QP1208HB3RR

HEAVY

**Specifications**


Article number	2.QP1208HB3RR
Dimensions (mm)	1200 x 800 x 159
Weight (kg)	16.5
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1000

2.QP1208HB3RR-CD

HEAVY

**Specifications**

Article number	2.QP1208HB3RR-CD
Dimensions (mm)	1200 x 800 x 159
Weight (kg)	17.7
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1000

EUROPAL800RR

HEAVY

**Specifications**


Article number	EUROPAL800RR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	23
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	800

2.QP1210LB9FR

LIGHT



Specifications


Article number 2.QP1210LB9FR
Dimensions (mm) 1200 x 1000 x 150
Weight (kg) 6.8
Topdeck Open
Bottom support 9 feet

Load capacity (kg)

Static load 2500
Dynamic load 1000
Racking load 0

2.QP1210LB9FR-CD

LIGHT



Specifications

Article number 2.QP1210LB9FR-CD
Dimensions (mm) 1200 x 1000 x 150
Weight (kg) 8.8
Topdeck Closed
Bottom support 9 feet

Load capacity (kg)

Static load 2500
Dynamic load 1000
Racking load 0

2.QP1210LB3RR

LIGHT



Specifications

Article number 2.QP1210LB3RR
Dimensions (mm) 1200 x 1000 x 158
Weight (kg) 8.6
Topdeck Open
Bottom support 3 runners

Load capacity (kg)

Static load 2500
Dynamic load 1000
Racking load 0

2.QP1210LB3RR-CD

LIGHT



Specifications

Article number 2.QP1210LB3RR-CD
Dimensions (mm) 1200 x 1000 x 158
Weight (kg) 10.6
Topdeck Closed
Bottom support 3 runners

Load capacity (kg)

Static load 2500
Dynamic load 1000
Racking load 0

3.QP1210MB3RR

MEDIUM



Specifications

Article number 3.QP1210MB3RR
Dimensions (mm) 1200 x 1000 x 150
Weight (kg) 14.7
Topdeck Open
Bottom support 3 runners

Load capacity (kg)

Static load 6000
Dynamic load 1500
Racking load 850

3.QP1210MB5RR

MEDIUM



Specifications

Article number 3.QP1210MB5RR
Dimensions (mm) 1200 x 1000 x 150
Weight (kg) 15.3
Topdeck Open
Bottom support 3 runners

Load capacity (kg)

Static load 6000
Dynamic load 1500
Racking load 1000

2.QP1210MB3RR-CD

MEDIUM



Specifications


Article number 2.QP1210MB3RR-CD
Dimensions (mm) 1200 x 1000 x 150
Weight (kg) 15.7
Topdeck Closed
Bottom support 3 runners

Load capacity (kg)

Static load 6000
Dynamic load 1500
Racking load 1375

2.QP1210HB3RR

HEAVY



Specifications


Article number 2.QP1210HB3RR
Dimensions (mm) 1200 x 1000 x 158
Weight (kg) 19.6
Topdeck Open
Bottom support 3 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1250

2.QP1210HB3RR-CD

HEAVY



Specifications

Article number 2.QP1210HB3RR-CD
Dimensions (mm) 1200 x 1000 x 158
Weight (kg) 21.74
Topdeck Closed
Bottom support 3 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

1200 x 1000 mm

1200 x 1000 mm


1200 x 1000 mm



PE-HD

2.QP1210HB6RR

HEAVY

**Specifications**

Article number	2.QP1210HB6RR
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	21.37
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1210HB6RR-CD

HEAVY

**Specifications**

Article number	2.QP1210HB6RR-CD
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	24
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1210HB3RR

HEAVY

**Specifications**

Article number	4.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	18.85
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1210HB5RR

HEAVY

**Specifications**


Article number	4.QP1210HB5RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	19.6
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

QP1210HP3R-AO

HEAVY

**Specifications**

Article number	QP1210HP3R-AO
Dimensions (mm)	1200 x 1000 x 165
Weight (kg)	22.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

QP1210HP6R-AO

HEAVY

**Specifications**


Article number	QP1210HP6R-AO
Dimensions (mm)	1200 x 1000 x 165
Weight (kg)	24.53
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

RECYPAL1210RR

HEAVY

**Specifications**

Article number	RECYPAL1210RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	27.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	900

QP1212LB9FR

LIGHT



Specifications

Article number QP1212LB9FR
 Dimensions (mm) 1200 x 1200 x 150
 Weight (kg) 8.24
 Topdeck Open
 Bottom support 9 feet

Load capacity (kg)

Static load 2500
 Dynamic load 1000
 Racking load 0

QP1212LB3RR

LIGHT



Specifications

Article number QP1212LB3RR
 Dimensions (mm) 1200 x 1200 x 158
 Weight (kg) 10.1
 Topdeck Open
 Bottom support 3 runners

Load capacity (kg)

Static load 2500
 Dynamic load 1000
 Racking load 0

QP1212MB3RR

MEDIUM



Specifications

Article number QP1212MB3RR
 Dimensions (mm) 1200 x 1200 x 156
 Weight (kg) 16.1
 Topdeck Open
 Bottom support 3 runners

Load capacity (kg)

Static load 7500
 Dynamic load 1375
 Racking load 250

QP1212MB6RR

MEDIUM



Specifications


Article number QP1212MB6RR
 Dimensions (mm) 1200 x 1200 x 156
 Weight (kg) 17.8
 Topdeck Open
 Bottom support 6 runners

Load capacity (kg)

Static load 7500
 Dynamic load 1375
 Racking load 250

QP1212HB3RR

HEAVY



Specifications

Article number QP1212HB3RR
 Dimensions (mm) 1200 x 1200 x 165
 Weight (kg) 23.8
 Topdeck Open
 Bottom support 3 runners

Load capacity (kg)

Static load 7500
 Dynamic load 2000
 Racking load 1375

QP1212HB3RR-CD

HEAVY



Specifications


Article number QP1212HB3RR-CD
 Dimensions (mm) 1200 x 1200 x 165
 Weight (kg) 25.9
 Topdeck Closed
 Bottom support 3 runners

Load capacity (kg)

Static load 7500
 Dynamic load 2000
 Racking load 1375

QP1212HB6RR

HEAVY



Specifications


Article number QP1212HB6RR
 Dimensions (mm) 1200 x 1200 x 165
 Weight (kg) 27.8
 Topdeck Open
 Bottom support 6 runners

Load capacity (kg)

Static load 7500
 Dynamic load 2000
 Racking load 1375

QP1212HB6RR-CD

HEAVY



Specifications

Article number QP1212HB6RR-CD
 Dimensions (mm) 1200 x 1200 x 165
 Weight (kg) 28.9
 Topdeck Closed
 Bottom support 6 runners

Load capacity (kg)

Static load 7500
 Dynamic load 2000
 Racking load 1375

1200 x 1200 mm

1200 x 1200 mm

1200 X 1200 MM



1220 x 1020 mm (48" x 40" inch)

QP4048MB3RR

MEDIUM



Specifications

Article number	QP4048MB3RR
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	17.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	700

QP4048MB3RR-CD

MEDIUM



Specifications

Article number	QP4048MB3RR-CD
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	17.8
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1375

QP4048MB6RR

MEDIUM



Specifications

Article number	QP4048MB6RR
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	15.1
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	700

1220 x 1020 mm (48" x 40" inch)

QP4048MB6RR-CD

MEDIUM



Specifications

Article number	QP4048MB6RR-CD
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	17.27
Topdeck	Closed
Bottom support	6 runners


Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1375

1300 x 1100 mm

QP1311MB3R-AS

MEDIUM



Specifications

Article number	QP1311MB3R-AS
Dimensions (mm)	1300 x 1100 x 150
Weight (kg)	17.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	700

QP1311MB3R-SCD

MEDIUM



Specifications

Article number	QP1311MB3R-SCD
Dimensions (mm)	1300 x 1100 x 150
Weight (kg)	18.7
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	1375

QP1311MB6R-S

MEDIUM



Specifications

Article number	QP1311MB6R-S
Dimensions (mm)	1300 x 1100 x 150
Weight (kg)	17.5
Topdeck	Open
Bottom support	6 runners


Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	800



QP1311MB6R-ASCD

MEDIUM



Specifications

Article number QP1311MB6R-ASCD
Dimensions (mm) 1300 x 1100 x 150
Weight (kg) 19.5
Topdeck Closed
Bottom support 6 runners

Load capacity (kg)

Static load 5000
Dynamic load 1500
Racking load 1375

2.QP1311HB3R-AS

HEAVY



Specifications

Article number 2.QP1311HB3R-AS
Dimensions (mm) 1300 x 1100 x 158
Weight (kg) 22.6
Topdeck Open
Bottom support 3 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

2.QP1311HB3R-SCD

HEAVY



Specifications


Article number 2.QP1311HB3R-SCD
Dimensions (mm) 1300 x 1100 x 158
Weight (kg) 24.1
Topdeck Closed
Bottom support 3 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

2.QP1311HB6R-S

HEAVY



Specifications

Article number 2.QP1311HB6R-S
Dimensions (mm) 1300 x 1100 x 158
Weight (kg) 23.7
Topdeck Open
Bottom support 6 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

2.QP1311HB6R-SCD

HEAVY



Specifications

Article number 2.QP1311HB6R-SCD
Dimensions (mm) 1300 x 1100 x 158
Weight (kg) 24.1
Topdeck Closed
Bottom support 6 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

4.QP1311HB3R

HEAVY



Specifications

Article number 4.QP1311HB3R
Dimensions (mm) 1300 x 1100 x 160
Weight (kg) 20.9
Topdeck Open
Bottom support 3 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

4.QP1311HB5R

HEAVY



Specifications

Article number 4.QP1311HB5R
Dimensions (mm) 1300 x 1100 x 160
Weight (kg) 20.9
Topdeck Open
Bottom support 5 runners

Load capacity (kg)

Static load 7500
Dynamic load 1500
Racking load 1375

1300 x 1100 mm

1300 x 1100 mm

1300 x 1100 mm




PE-HD

Your notes


A series of horizontal dotted lines for taking notes, spanning the width of the page.

New Poolpallet

1200 x 1000




- Long life and impact resistant
- 100% Recyclable
- Ideal for open or closed pools
- Also available with 6 runners



Closed runners for automated material handling systems

Anti-slip in top deck and under deck to keep the load safe



Double wall design to maximize impact resistance

Easy entry for forklift and pallet trucks



qpall.com

Q-PALL BV
Edisonweg 9
NL-5466 AR Veghel
The Netherlands
Phone: +31 413 353 111
E-mail: info@qpall.com

**Q-PALL**[®]
PLASTIC PALLETS